




win pen
U-PVC Window & Doors






UPVC Doors & Windows





win pen
U-PVC Window & Doors



Information :

Corporate Office:


Ayesha Villa, 21 Western Road, Apartment # 2A, Level-2
DOHS Banani, Dhaka-1206, Bangladesh
Phone : 88-02-9833993, 9833994
Mobile : 01841544700, 0184154711
E-mail : info@winpenbd.com, marketing@winpenbd.com
Website : www.winpenbd.com

Factory:

Khilpara, South Shalna
Gazipur, Bangladesh
Cell : +88 01841544724-26

Why U-PVC Window and Doors?

- Energy Saver (30-35% Saving on your electricity bills)
- Sound & Heat Insulated
(EPDM gaskets with multi chambered UPVC profiles prevents outside sounds and noises)
- Weather Proof & Non-corrosive
(UV resistance of U-PVC impregnated and infused with exclusive and distinct additives)
- Low thermal conductivity of U-PVC minimizes power consumption
- High Strength & Long durability
(Durability and Longevity of U-PVC with impact modifiers)
- Fire Resistant
(U-PVC materials used in Win Pen are fire resistant and do not support or enhance accidental fires unlike their timber counterparts Resistant)
- Water
(Drainage channel & EPDM gasket prevents from water percolation)
- Heat, extreme temperature withstanding competence of U-PVC





Comparison of window frame construction materials

Consideration when selecting frame materials for windows?	Wood	PVC	Alumunium
Does it pit peel corrode, rot or warp in bad weather?	yes	never	yes
will it remain structurally strong?	yes	yes	yes
Does heat or cold transmit through the material?	Only if kipt dry	no	yes
Is it cool all year?	Only if kipt dry	yes	no
Will it repuire painting or other maintenance?	Only if kipt dry	never	yes if scratched
Will scratches show as a different colour under the paint?	yes	no	yes
Does soap and water cleaning make material look new again?	no	yes	no

Multi Opening System



Shootbolts

Each sash uses shootbolts in the ends for increased security




Roller Locks

The roller locks expand and contract to locate in their respective keeps.



Choice of Handles

A choice of handle styles in either white, black, gold, silver or brass. All handles are lockable by key.



Top Hung hinges

Top hung and side hung windows use the Cotswold friction stay a high quality hinge that allows the entire sash to slide sideways when opened to facilitate cleaning of the outside from indoors.




Side Hung hinges



Roller keeps

Bi-directional roller locks and their corresponding keeps use two slots to allow for a secure night ventilation latch position.

Sliding System



EPDM Gaskets (for effective sealing between glass and profile)

Sealant

Steel reinforcements (for added structural strength)

Bug screen track (for smooth and independent movement of bug screen)

Sliding track

Multi-chambered profile (for structural stability and high strength)

Double Glazed Glass

HEAT LOSS REDUCTION

U value


6.28

2.79

2.61

1.91

1.61



Ordinary Single glazing

Standard double glazing

Double glazing + Argon gas

Double glazing + Low E

Double glazing + Low E + Argon

Spinning Window System



win pen
U-PVC Window & Doors

CORPORATE OFFICE :
Ayesha Villa, 21 Western Road
Apartment # 2A, Level-2
DOHS Banani, Dhaka-1206

Phone : 88-02-9833993 | 9833994
Mobile: +88 01911316307, +88 01841544711
E-mail : admin@qbelbd.com, info@qbelbd.com
marketing@qbelbd.com

FACTORY :
Khilpara, South Shalna
Gazipur, Bangladesh
Cell : +88 01841544724-26

www.winpenbd.com